



We Always Strive for the Better



www.**konpak**.com.tr

Bubble Wrap Products Production And Marketing

Plastic Packaging Products Production And Marketing

Standard Bubble Wrap Film	01
ECO Green Recycled Bubble Wrap Film	
Colored Bubble Wrap Film	
Aluminum Laminated Bubble Wrap Film	
PE Foam Laminated Bubble Wrap Film	
Kraft Paper Laminated Bubble Wrap Film	
UV Stabilized Bubble Wrap Film	07
Printed Bubble Wrap Film	
Antistatic Bubble Wrap Film	
Fire Classes B1 or B2 Bubble Wrap Film	
Self-adhesive Bubble Wrap	11
Swimming Pool Liner	
Non Woven Bubble Wrap Film	
Polyethylene Foam Sheet	
Bags (Mailing Bags)	15
Box Hoods	
Furniture Covers	
Short Rolls	
Thermal Hoods	

WeAlways Strive

INDEX



www.**konpak**.com.tr



20

Bubble wrap is the ideal material for packaging, filling, cushioning, fixing, intermediate layers, surface protection, plant protection and much more.

Get to know our individual film types suitable for every area of application here.







STANDAR BBLE WRAP F	TECHNICAL	DETAIL
Ξ	Bubble Diameter	10 mm Bu
	Bubble Height	3,5 mm
	Micron	Between
	Width	Between

TECHNICAL	JETAILS A L D	EJAILJ
Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 to 300 µm	Between 100 to 350 µm
Width	Between 15 to 200 cm	Between 15 to 200 cm
Length	Between 3 to 250 meters	Between 3 to 250 meters

Bubble wrap is the ideal material for packaging and can be found in almost all areas of application: filling, cushioning, fixing, intermediate layer, surface protection, plant protection, etc.





www.**konpak**.com.tr



BUBBLE WRAP FILM

Ideal for companies that value sustainability. The film is made from polyethylene (PE). At least half of the raw material used comes from recycled material.

FULL PROTECTION

TECHNICAL	DETAILS	ETAILS
Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 to 300 µm	Between 100 to 350 µm
Width	Between 15 to 200 cm	Between 15 to 200 cm
Length	Between 3 to 250 meters	Between 3 to 250 meters

88

AVNOR AVNOR



www.konpak.com.tr



for safely transport.



Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 to 300 µm	Between 100 to 350 µm
Width	Between 15 to 200 cm	Between 15 to 200 cm
Length	Between 3 to 250 meters	Between 3 to 250 meters

By adding colored additives, our film can be produced in almost any color. The colored bubble wraps are mainly used for product labeling or advertising purposes and are an excellent addition to our product range.

VeAlways Strive



for safely transport

www.**konpak**.com.tr





The aluminum-laminated bubble film (P-Alu) is a very special film that offers special additional protection in addition to the well-known properties of the padding. It is therefore very suitable for insulation.

TECHNICAL	DETAILS	ETAILS
Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 to 300 µm	Between 100 to 350 µm
Width	Between 15 to 200 cm	Between 15 to 200 cm
Length	Between 3 to 250 meters	Between 3 to 250 meters



www.**konpak**.com.tr





XeAlways

tei

TECHNICAL	DETAILS C A L D	ETAILS
Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 to 300 µm	Between 100 to 350 µm
Width	Between 15 to 200 cm	Between 15 to 200 cm
Length	Between 3 to 250 meters	Between 3 to 250 meters

The PE foam laminated bubble wraps from the Sunset range serve as unique cushion and surface protection. They offer ideal all-round protection for various products. The combination offers significant advantages over standard bubble wrap: greater puncture resistance; increased tear resistance; velvety-soft surface protection.



www.**konpak**.com.tr



Kraft paper laminated bubble wrap, used in numerous industrial sectors, offers excellent resistance and cushioning properties. It offers the ideal protective cover for furniture and can be easily labeled yourself for product identification.

TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 to 300 µm	Between 100 to 350 µm
Width	Between 15 to 200 cm	Between 15 to 200 cm
Length	Between 3 to 250 meters	Between 3 to 250 meters
Kraft paper lamination Weight of paper: 60 g/m ²		
Weight of PE coating: 15g/m ²		
Please take contact with our sales team for the color of the paper.		







TECHNICAL	DETAILS CALD	ETAILS
Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 to 300 µm	Between 100 to 350 µm
Width	Between 15 to 200 cm	Between 15 to 200 cm
Length	Between 3 to 250 meters	Between 3 to 250 meters

UV-stabilized bubble wrap offers the perfect solution for insulating and protecting products that are exposed to sunlight for long periods of time.

We Always Strive for the Better



www.**konpak**.com.tr



For applications in the advertising and security sector, printed adhesive tapes are laminated onto our bubble wrap according to customer requirements. Printed films are ideal for individual design and offer the ideal solution for company identification and product labeling.

TECHNICAL	DETAILS	
Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 to 300 µm	Between 100 to 350 µm
Width	Between 15 to 200 cm	Between 15 to 200 cm
Length	Between 3 to 250 meters	Between 3 to 250 meters
	0.	

FULL PROTECTION

0201

0001

1000 L

0001

0001

0001

ند LOGO

0001



for safely transport

vie LUGO

ike LOGO

0201.1

~ 4000

C 1060





Used primarily in the electronics industry, this additive protects high-value items, such as electronic components such as semiconductors and circuit boards, from electrostatic charge and provides cushioning and protection during transport and storage.





www.konpak.com.tr



BUBBI E WRAP FILM

The flame-retardant bubble wrap offers the perfect solution for insulating and protecting products in conjunction with increased flame retardancy.

TECHNICAL DETAILS

	Bubble Diameter	10 mm Bubble	30 mm Bubble
	Bubble Height	3,5 mm	10 mm
	Micron	Between 10 to 300 µm	Between 100 to 350 µm
	Width	Between 15 to 200 cm	Between 15 to 200 cm
l	Length	Between 3 to 250 meters	Between 3 to 250 meters









Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 to 300 µm	Between 100 to 350 µm
Width	Between 15 to 200 cm	Between 15 to 200 cm
Length	Between 3 to 250 meters	Between 3 to 250 meters

Self-adhesive bubble wrap is mainly used in the automotive and glazing industries. Self-adhesive bubble wrap provides the best protection for vehicle bodies, window panes and furniture during manufacturing, transportation and storage.

WeAlways Strive for the Better





Swimming Pool Liner

Bubble wrap is one of the best thermal insulation materials. The bubble wrap insulates the cold and thus achieves a higher heat value. Furthermore, the film can reduce algae formation.

TECHNICAL DETAILS

Bubble Diameter	10 mm Bubble	30 mm Bubble
Bubble Height	3,5 mm	10 mm
Micron	Between 10 to 300 µm	Between 100 to 350 µm
Width	Between 15 to 200 cm	Between 15 to 200 cm
Length	Between 3 to 250 meters	Between 3 to 250 meters









This product combines the advantages of a velvety-soft fleece with the excellent protective effect of our bubble wrap. The combination offers significant advantages over standard bubble wrap: greater puncture resistance; increased tear resistance; moisture absorption; velvety-soft surface protection.

WeAlways Strive for the Better



www.**konpak**.com.tr



FOAM SHEET

Our solutions with foam films are made from uncrosslinked CFC/HCFC-free foamed films made of polyethylene (PE-LD). In order to meet special technical requirements, PE foam films can be equipped with flame retardants, UV stabilizers and antistatic agents. On request and for certain quantities, PE foam can also be colored if desired.

TECHNICAL DETAILS

Thickness of the film Bulk density (kg/m³) Fire behavior (class) Additional information

FULL PROTECTION

: approx. 20-22 : B3

: 1.0 / 1.5 / 2.0 / 3.0 / 4.0 / 5.0

: In order to meet special technical requirements, PE foam films can be equipped with flame retardants, UV stabilizers and antistatic agents (minimum quantities on request).



for safely transport





AGS NG BAGS

MAIL

Ò

We offer you our bubble wrap

FULLPROTECTION

bags and bags (mailing bags) in different foil qualities. You can find these on the right-hand side.

Do you need different film qualities or a different configuration?

Talk to us - we will find a solution!





www.**konpak**.com.tr



BOX HOODS BUBBLE WRAP BOXES

We offer you our bubble wrap boxes in different foil qualities. You can find these on the right-hand side.

FULL PROTECTION

Do you need different film qualities or a different configuration?

Talk to us – we will find a solution!



for safely transport





FURNITURE

We offer you our bubble wrap furniture covers in different foil qualities. You can find these on the right-hand side.

Do you need different film qualities or a different configuration?

Talk to us – we will find a solution!





www.**konpak**.com.tr



We offer you our air cushion short rolls in different film qualities. You can find these on the right-hand side.

Do you need different film qualities or a different configuration?

Talk to us – we will find a solution!







THERMAL



We offer you our bubble wrap thermal hoods in different foil qualities. You can find these on the right-hand side.

Do you need different film qualities or a different configuration?

Talk to us – we will find a solution!





www.konpak.com.tr





We Always Strive for the Better

Bubble Wrap Products Production And Marketing

Ŷ٦

Büyükkayacık Mh. 7 Nolu Sk. No: 4/ 2 Büyükkayacık Osb SELÇUKLU / KONYA / TÜRKİYE



iletisim@konpak.com.tr export@konpak.com.tr

+90 332 342 48 05



www.konpak.com.tr

